MOONLIGHT
CLASSIC AWNING

Technical Information List

V 030818

General View

Retractable & Ready to Mount, with Chosen Fabric

This product comes standard as: manual operated with a winder/crank handle.



1 Roller Tube ø70



2 Roller Tube ø78



3 Iron Profile 40x40



4 Arm Profile With Light

5 Front Profile



6 Valance Weight Bar



* All dimensions shown above are in milimeters.

Wall Installation Bracket



Ceiling Installation Bracket



Minimum Degree	5º	French Fringe Standard	250 mm
Maximum Degree	45º	French Fringe Maxiumum	500 mm

Minimum Degree	5º	Victoria Fringe Standard	250 mm
Maximum Degree	45º	Victoria Fringe Maxiumum	500 mm

Motor with Indoor Wall Switch

Motor with Remote Control

Motor with Indoor Wall Switch & Gear Redactor

Motor with Remote Control & Gear Redactor

Somfy Wind Sensor

Somfy Wind and Sun Sensor

Somfy Rain Sensor

Rising Infrared Heater

Fabric Colour Swatch



Aluminium Powder Coating

Iron Parts

Aerosol Touch-up Spray Paint

Silicone

Packaging with Hardened Kraft, Round Cylinder

Packaging with Wooden Crate

* All dimensions shown above are in milimeters.

Manufacturer of **Shading Systems**
for Outdoor Spaces

Address : Unit C,
Canalside North Business Park,
John Gilbert Way, Trafford Park,
Manchester, M17 1UP
United Kingdom

Phone : +44 (0) 800 400 4549
E-mail : contact@gossoutdoor.co.uk